

Lube & Chemical Catalog

www.engineproparts.com





Perfit Lube & Chemical Catalog

About Perfit Engine Pro

As an exclusive supplier to engine professionals in the Great Lakes region, Perfit Engine Pro stocks hundreds of thousands of parts and supplies that you need to do your best work.

We have a staff of sales people calling on accounts on a daily basis and also have an experienced call-in center at both of our locations in Grand Rapids and Livonia. Many are full-fledged engine technicians and racers so they can answer some of your most technical questions.

Perfit Engine Pro also offers qualifying customers its Qwik Order system, a live inventory online parts ordering system which has all of our parts and supplies in stock available for one-day delivery in most of our service area. As a member of Engine Pro, we are part of the largest engine parts distribution network in the country.

About This Catalog

We are constantly adding new parts and lines to our inventory. Honestly, there are so many additions, you may not even know about the range and depth of new products we offer. This catalog is focused on letting you know about our extensive lubrication and chemical lines for both O.E. and performance applications. Take a look at the quality products in this catalog.

Ask your sales rep about the products you're interested in, give our counter staff a call or order online. This catalog is just one more way we put our mission into action-to support our local engine builders.

In This Catalog

Racing Oils Page 3-7
Break-in Oils Page 8
Oil Additives Page 9
Diesel Oils & Additives Page 10-11
Specialty Lubes Page 11-12
Gear Oil Page 13-14
Motorcycle Page 14-15
Marine Page 16-17
Fuel Treatments Page 18-19
Coolant Additives Page 20
Engine Paint & Enamel Page 20-21
Appearance Page 22-23
Machine Shop Lubes
& Supplies Page 24-25
Cleaning Products Page 26-27



Racing Oils



About Brad Penn/Penn Grade 1

Brad Penn or Penn Grade Racing Oils are unique, and it's not just the green color

that makes them different. Penn-Grade Racing Oils are still made from the high-quality crude that has been found in and around Bradford, Pennsylvania since the mid-1800s. Oil from that area that is very low in sulfur and nitrogen and free from asphalt components. It's naturally thermally stable and makes an excellent choice for refining into a lubricating base stock. They deliver heavy shock load and high temperature protection to heavily stressed engine parts.

- High levels of Zinc/Phosphorous
- Refined Using Pennsylvania Grade Crude Oil
- Unique Cut that Clings Tenaciously to Highly Stressed Engine Parts
- Critical Protection for your Flat Tappet or Roller Cams
- Minimizes Dry Start Wear
- Protects Highly Stressed Race Engines
- Maximum Protection for Engines that sit for Extended Periods
- Recommended by Top Industry Professionals
- Distinctive Green Color
- Recommended by the Industries Top Cam Manufacturers and Engine Builders
- Made in the USA.

Unless otherwise noted, all Penn Grade 1 Oils Sold in Cases of 12

PENN GRADE 1 Partial Synthetic High Performance Multi-Viscosity Oils

1500 PPM ZDDP

1340 PPM Phosphorous

Contains high level of detergent/dispersants

- Helps to protect critical parts from deposits in highly stressed engines
- Utilizes unique base oil cut that clings to engine parts and minimizes dry start wear
- Reduces internal friction
- Increase horsepower
- Superior wear protection
- Excellent choice for race engines and classic vehicles.

Quart Bottles, Sold in Cases of 12

0W-30	Part # 009-7126
5W-30	Part # 009-7109
10W-30	Part # 009-7150
10W-40	Part # 009-7144
15W-40	Part # 009-7158
20W-50	Part # 009-7119

PENN GRADE 1 Straight Weight Partial Synthetic High Performance Oils

1500 PPM ZDDP
1340 PPM Phosphorous
Contains high level of detergent/
dispersants
Helps to protect critical parts from
deposits in highly stressed engines.
Utilizes unique base oil cut that clings
to engine parts and minimizes dry start
wear. Reduces internal friction
Increase horsepower
Excellent wear protection.



SAE 50 & SAE 60 for alcohol engines Nitro 70 excellent for Nitro methane engines

Quart Bottles

SAE 30	009-7139
SAE 40	009-7140
SAE 50	009-7115
SAE 60	009-7116
Nitro 70	





Racing Oils Unless Otherwise Noted All Driven Oils Sold in Cases of 12



About DRIVEN Racing Oils

Born from Joe Gibbs Racing, Driven

Racing Oil™ utilizes cutting-edge lubricant technology & on-track research for maximum performance and protection. Driven's product development team looks at the motor and how it is used. Then they design application-specific products using a "zero compromise" approach that delivered a measurable performance advantage.

Due to ever tightening federal EPA requirements, today's oils have reduced qualities of anti-wear chemistries like zinc, phosphorous and sulfur. As a result, the oil you buy today is not the same as it was ten years ago. That may be fine for most street applications but for racing, it can be a disaster. That's why all Driven oils are especially formulated for each performance application to prevent wear and premature part failure. Whether you're looking for gear oil for a race car or motor oil for a hot rod, you can trust that Driven oils are specially engineered for each car and are proven to perform.

Street Performance Engine Oils DT40 5W-40

Designed for water-cooled, European sports car engines. Utilizes advanced synthetic base oils to provide high temperature and high shear protection for high RPM engines. Ideal for modern German, Italian and British sports car engines.

Quart Bottles Part # 02406

DT50 15W-50

Designed for high performance air-cooled engines. Utilizes advanced synthetic base oils to provide high temperature protection. High Zinc content protects cams and lifters. Ideal for vintage German air cooled engines.

Quart Bottles Part # 02806

FR20 5W-20

Designed for high performance Ford modular engines. Utilizes advanced synthetic base oils to provide high temperature and high shear protection. Ideal for supercharged Ford modular engines.

Quart Bottles Part # 03006

FR50 5W-50

FR50 utilizes next generation synthetic oil technology to provide unmatched performance and protection in high temperature, high shear environments. FR50 provides the required viscosity for Ford Coyote oiling and variable valve timing systems while delivering the wear protection needed for performance cams. Ideal for crate up to supercharged Ford Coyote engines.

Quart Bottles Part # 04106

LS30 5W-30

Designed for high performance LS series engines. Utilizes advanced synthetic base oils to provide high temperature and high shear protection. Ideal for LS based "crate" engines and supercharged LS performance engines

Quart Bottles Part # 02906

SR50 20W-50

A robust conventional motor oil to be used where frequent oil changes are needed, such as in dirt track and sportsman bracket racing, to eliminate the build-up of dirt or fuel dilution. Ideal for race engines requiring a 20W-50 weight motor oil, SR50 provides consistent protection for flat tappet engines and prevents lifter skidding in aggressive roller cam valve trains using both needle and bushing lifters. It is not recommended in engines with stamped steel rockers; instead, use Driven Racing Oil's XP9 or XP6 for optimal durability.

Quart Bottles Part # 05206

Hot Rod Engine Oils

HR Conventional for Hot Rods & Vintage

Well suited for a variety of hot rods and vintage vehicles and is appropriate to use in any engine. Features storage protection additives that guard against rust and corrosion during winter storage. No ZDDP or additives required.

HR Synthetic

The ultimate in street/strip protection – Excellent start-up protection and the high temperature stability of a synthetic. Great choice for street/strip bracket racers and modified "old school" muscle cars.

10W-30	Quart Bottle	Part	#	01506
10W-40	Quart Bottle	Part	#	03906
15W-50	Quart Bottle	Part	#	02006

Competition And Race Engine Oils XP1 5W-20

A full synthetic oil, XP1 is used by Joe Gibbs Racing in all their unrestricted engines. Viscosity typical of SAE 5W-20.

Quart BottlePart # 00006

XP8 5W-30

A high zinc, petroleum formula racing oil, XP8 offers low cost protection for racers who want to use non-synthetic oil. Excellent low cost drag racing oil. Viscosity typical of SAE 5W-30

Quart Bottle Part # 01906

XP7 10W-40

A semi-synthetic racing oil that provides a blend of our high zinc content petroleum oils and our fully synthetic oils. Viscosity typical of SAE 10W-40.

Quart Bottle Part # 01706

XP6 15W-50

A 15W-50, full synthetic version of our race proven XP1, it provides excellent bearing oil film thickness and high temperature protection. Viscosity typical of SAE 15W-50.

Quart Bottle Part # 01006

XP5 20W-50

A semi-synthetic based on our original formula race oil, XP5 offers improved high temperature shear and oxidation stability compared to mineral oil without the higher cost of a full synthetic. Viscosity typical of SAE 20W-50.

Quart Bottle Part # 00906

XP4 15W-50

A high zinc, petroleum formula racing oil, XP4 offers low cost protection for racers who want to use non-synthetic oil. Excellent protection for dirt and nitrous racers who want to change their oil frequently. Viscosity typical of SAE 15W-50.

Quart Bottle Part # 00506

XP3 10W-30

A higher viscosity version of XP1, this full synthetic oil offers outstanding high-temperature, high-shear protection. Viscosity typical of SAE 10W-30.

XP2 0W-20

A full synthetic oil, XP2 is used by Joe Gibbs Racing in all their Nationwide Series roller camshaft engines and restrictor plate flat tappet engines. Viscosity typical of SAE 0W-20.

Quart Bottle Part # 00206

XP10 0W-10

Utilizes select synthetic base oils to fine tune for increased horsepower and improved ring seal. Ideal for wet-sump drag race engines, 800+ cubic inch drag race engines and restricted air-flow engines with tight clearances. Viscosity typical of 0W-10.

Quart BottlePart # 03306

XPO OW

Used by Joe Gibbs Racing for qualifying. It utilizes ultra-low viscosity synthetic base oils. Viscosity typical of SAE 0W.

Quart BottlePart # 00406

XP9 10W-40

A full synthetic oil, XP9 provides increased high temperature and high shear protection for wet sump and high compression applications. Ideal for high output steel block engines. Viscosity typical of 10W-40.

Quart Bottle Part # 03206







Racing Oils Unless Otherwise noted, all Maxima Oils Sold in Cases of 12



About Maxima Racing Oils

Maxima Racing Oils was founded in 1979 in Southern California and is a race-inspired, product driven company. Maxima formulates, develops, manufactures and distributes high performance oils, lubes and ancillary products. Maxima stays close to racing in both product development and support of world class racers, tuners and teams who rely on Maxima for unsurpassed performance in high-stress conditions without fail. Maxima products are used in over 50 countries around the globe and include engine oils, suspension fluids, coolants, care products and accessories

PS0

PS0 is a 100% ester-based synthetic engine oil. Engineered with exotic, ultra-low viscosity synthetic based oils for maximum horsepower gains without sacrificing the integrity of critical engine components. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element.

32oz Quarts......39-03901

RS FULL SYNTHETIC

RS is a 100% synthetic triple ester-based race-grade engine oil. Industry leading additive system offers the ultimate in engine performance and protection. Technologically advanced formula contains special anti-wear/extreme pressure additives to protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. Delivers increased horsepower & torque, superior engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element.

32oz Quarts

NW-10	Part # 39-13901
UW-2U	Part # 39-14901
5W-20	Part # 39-04901
5W-30	Part # 39-91901
10W-30	Part # 39-01901
10W-40	Part # 39-16901
15W-50	Part # 39-32901

SEMI-SYN

SEMI-SYN is a complex blend of synthetic esters and highly refined petroleum base stocks offering protection beyond conventional oils. Technologically advanced additives containing special anti-wear/extreme pressure additives protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. SEMI-SYN delivers increased horsepower, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller engines.

32oz Quarts	
10-W40	39-34901B
10W-50	39-35901B

PERFORMANCE

PERFORMANCE engine oil is an exclusive blend of highly refined petroleum base stocks and technologically advanced additives. Special anti-wear/extreme pressure additives protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. Advanced, shear-stable polymers resist mechanical break-down and viscosity loss of the oil. PERFORMANCE delivers increased horsepower, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life.

High Zinc/Phosphorous formula 2207 Duarto

3202 Quarts	
10W-30	Part # 39-33901
10-W40	Part # 39-34901
20W-50	Part # 39-35901



PRO-V Racing Products



About Pro-V Racing Oils

Pro-V Racing[™] is a full line of premium racing oils and lubricants for nearly every circuit and class. The same technology and expertise behind our professional race teams, optimized in the Valvoline lab and proven on tracks throughout the world.

PRO-V RACINGTM OW-20

Valvoline[™] Pro-V Racing[™] 0W-20 is a high zinc full synthetic racing oil born out of Valvoline's professional racing partnerships. Not suitable for use in street vehicles or vehicles with catalytic converters.

- Recommended for NASCAR V-8 restricted engines.
- Recommended for qualifying in V-8 nonrestricted engines.
- Designed for engines with clearances under 0.0020".
- Used in grassroots racing when OEM recommends OW-20.

PRO-V RACING™ OW-30

Valvoline™ Pro-V Racing™ 0W-30 is a high zinc, synthetic racing oil born out of Valvoline's professional racing partnerships. Not suitable for use in street vehicles or vehicles with catalytic converters.

Premium base stocks for thermal and oxidation stability from heat stress at high rpm. Unique additive technology helps to protect the valvetrain under extreme conditions and reduce friction providing increased horsepower and torque. Recommended for V8 engines used in sprint and midget racing.

For use in grassroots racing when OEM recommends a 0W 30 viscosity.

Designed for engines with clearances between 0.0020" and 0.0025".

Lowers oil vaporization and consumption in extreme conditions.

PRO-V RACING™ 20W-50

Valvoline[™] Pro-V Racing[™] 20W-50 is a high zinc, full synthetic, racing oil born out of Valvoline's professional racing partnerships. Not suitable for use in street vehicles or vehicles with catalytic converters.

Premium base stocks for thermal and oxidation stability from heat stress at high RPM. Unique additives help to protect the valve train under extreme conditions. Unique technology helps to reduce friction therefore providing increased horsepower and torque. Designed to lower oil vaporization and consumption at extreme conditions.

- Recommended for use in Late Model and Sprint Car applications.
- Designed for use in engines with clearances over 0.0025".
- For use in grassroots racing where OEM recommends a 20W-50 viscosity.
- Lowers oil vaporization and consumption in extreme conditions.

Quart Bottles Part # 79588241

PRO-V VR1

20W-50 Motor Oil

Valvoline VR1 racing motor oil is compatible with gasoline or alcohol fuels Valvoline™ VR1 Full Synthetic Racing Motor Oil is track-proven, high performance motor oil engineered to increase horsepower and provide extreme wear protection. Additional product benefits include:

- Designed for the race track, but is great for other high performance vehicles too
- High zinc/phosphorus for extreme anti-wear, including flat tappets
- Track-proven to maintain pressure and protect from foaming
- Compatible with gasoline or alcohol fuels.

ZUW-JU MULUI UII	
Quart Bottles	Part # 822347
10W-30 Motor Oil	
Quart Bottles	Part # 822388



Break-In Oil Unless Otherwise Noted All Oils Sold in Cases of 12

DRIVEN

BR BREAK-IN 15W-50

Used by Joe Gibbs Racing to break-in and dyno all their engines, this petroleum oil provides the highest levels of zinc and phosphorus for flat-tappet engines. The additive package promotes ring seal and provides maximum protection available for cams and lifters during initial break-in. Requires no additional additives. Viscosity typical of 15W-50.

Quart Bottle Part # 00106

BR20 BREAK-IN 5W-20

Formulated for engines requiring low viscosity oils. Promotes proper surface mating, chemically assists with piston ring sealing and features a low detergent level. For use in engines that call for the use of low viscosity oils, as well as for overhead cam engines with tight bearing clearances. Good for dyno testing, one night of racing or up to 400 miles on the street, with no ZDDP or break-in additives required. Viscosity of typical of 5W-20.

Quart BottlePart # 04346

BR30 BREAK-IN 5W-30

The same high zinc and phosphorus formula as our original breakin oil, now in a SAE 5W-30 viscosity for tight clearance and/or low temperature break-in. Good for restrictor plate engines, drag race engines, and OEM rebuilds. Provides excellent ring sealing. Requires no additional additives. Good for full power pulls on the dyno, one night of racing or up to 400 miles on the street.

Quart Bottle Part # 01806

BR40 BREAK-IN 10W-40

The same high Zinc and Phosphorus formula as our original break-in oil, now in SAE 10W-40 viscosity. Well suited for classic muscle car, European sports car and motorcycle engines. Ideal for flat tappet and aggressive roller valve trains. Does not require additional ZDDP additives.

Quart Bottle Part # 03706

DIESEL BREAK-IN OIL 15W-40

Promotes proper surface mating during the critical break-in process and chemically assists with piston ring sealing in highperformance and turbocharged diesel engines.

Quart Bottle Part # 05306



MAXIMA PERFORMANCE BREAK-IN

BREAK-IN OIL is specifically designed for breaking in engines with flat tappet camshafts, roller elements or where elevated levels of anti-wear additives are needed. High Zinc/Phosphorous formula is blended with highly refined, pure petroleum base stocks to provide optimum ring seal.2X ZINC FORMULA REDUCES CRITICAL ENGINE WEAR: Complex 2X Zinc structure protects for an extended temperature range, outperforming conventional break-in oils. By combining two different zinc compounds, PERFORMANCE BREAK-IN OIL activates at lower temperatures and offers more protection at elevated temperatures. PERFORMANCE BREAK-IN OIL is perfectly balanced and requires no other additives. Dyno tests show more efficiency in the break-in phase when using MAXIMA PERFORMANCE BREAK-IN OIL.

32 oz Bottles

5W-16	.Part # 39-09901
10W-30	. Part # 39-10901
15W-50	. Part # 39-11901

PRO-V

PRO-V RACING™ BREAK-IN OIL

Valvoline™ Pro-V Racing™ Break-In Oil is a high zinc oil designed for all engine break-in methods. Born out of Valvoline's professional racing partnerships. Not suitable for use in street vehicles or vehicles with catalytic converters. High impact zinc remains in the oil longer and provides premium wear protection. Formulated with enhanced anti-foam system. Helps to improve oil film strength and breakdown resistance. Additional product benefits include:

- Suitable for all racing engines.
- Can be used in non-fired and fired engines.
- Provides proper ring seal and surface finish for cams and lifters.
- Higher zinc content ideal for flat tappet engines.

5-Gallon Pail Part # 858309 Case ordering not required

PENN-GRADE 1

PENN-GRADE 1 BREAK-IN OIL

Brad Penn Penn-Grde 1 Break-in oil provides wear control for critical engine parts while allowing the engine components to seat resulting in maximum engine performance and life. It is formulated with Penn Grade Base Stock and a state-of-the-art additive system, available in SAE 30.

Quart Bottles Part # 009-7120

Oil Additives

REV-X ABOUT REV-X PRODUCTS

The Rev-X line was developed as an effort to find products that would give the company's racing program a competitive edge. After testing existing products on the track, Rev-X decided that none were as effective as what they could formulate themselves. Rev-X track tested hundreds of formulations in just about every application and found the best combinations of products and formulations that would add performance and engine durability. Rev-X products include oil additives, fuel additives, and an extensive line-up of products for gasoline and alcohol fuel racing engines, diesel performance, marine, motorcycles and even passenger cars, pickups and RVs.



REV-X HIGH PERFORMANCE OIL ADDITIVE

Rev-X High Performance Oil Additive has proven worldwide to outperform all other products while surpassing all expectations. Rev-X High Performance Oil Additive was formulated to be the highest performing oil additive available at any cost with zero downsides. Rev-X High Performance Oil Additive can be blended into all types of lubricating fluids for the ultimate friction reduction agent that virtually eliminates

high thermal temperatures within treated components providing extended service life for all component and lubricating fluids.

- Increases Efficiency
- Increases Horsepower and Torque
- Greatly Improves Starting In Cold Weather
- Provides Smoother Operation of all Treated Components
- Extreme Reductions in Component Wear
- Reduces Operating Temperatures To Increase **Performance**
- Increased Lubricant Service Life
- Can be used in All Types of Lubricating Fluids (Engine Oils, Gear Lubricants, Hydraulic Fluid, Etc).
- For use in a Huge Variety of Applications That require The Highest Grade of Lubrication **Possible**
- Contains No Graphite, Moly, Teflon, Acids or **Any Other Harmful Additives**
- Rev-X is safe for all Soft and Exotic Metals
- Environmentally Friendly Green Product

4oz BottlePart # 0401B



REV X RACING OIL ADDITIVE

REV-X Racing Oil Additive is for any performance engine. It is designed to increase engine performance while extending the longevity of even the most radical engines.

- Eliminates friction on all high load components
- Maximizes lubrication on cold starts
- Profoundly extends engine longevity
- Provides radically increased lubrication to all valvetrain components
- Drastically reduces operating temperatures
- Delivers smoother engine operation
- Produces ZERO harmful side effects
- Provides maximum protection for plain and roller bearings
- Keeps engines clean for ultimate performance
- Extends lubricant service life
- Increases Horsepower and Torque to levels you can feel and race fans can see!

5oz Bottle Part # RAC0501B



ENGINE PRO ABOUT ENGINE PRO

All products that are produced by Engine Pro, are made specifically for the engine builder. Engine Pro products provide products that meet, and usually exceed competitors' products and are offered at a price that allows you to compete in a crowded marketplace. As with all Engine Pro products, the

items featured in this catalog incorporate top quality materials with improved formulations and include engine paint and enamels; non-chlorinated brake & parts cleaner, carb & choke cleaner, Hi-Zinc liquid engine moly assembly lube, and Hi-Zinc engine protector.

Hi-Zinc Engine Protector

- Provides Protection Against Camshaft, Lifter and Valve Train Damage
- Dramatically Reduces Friction and Engine Wear
- For Classic and Other Cars with Flat Tappet
- Cams Without Catalytic Convertors
- Higher Concentration of (ZDDP) for Crucial **Break-in Period**
- Designed to Allow Piston Rings to Seat
- Properly When Used During Engine Break-in
- Prevents Scuffing and Galling

4oz BottlePart # 40-1900



Diesel Oil / Additives

Diesel Oil Driven



DP40 Turbo Diesel Oil 5W-40

Driven DP 40 delivers enhanced film thickness as well as increased anti-wear additives. Ideal for diesel equipped tow vehicles. Viscosity typical of 5W-40

One Gallon Bottle Part # 02508



DR40 Turbo Diesel Oil 15W-40

Combines conventional 15W-40 viscosity with advanced synthetic mPAO technology to provide enhanced wear protection and shear stability for high-performance turbocharged diesel engines. Maximum level of recommended ZDDP. Outstanding

protection for flat tappet cams, bushing lifters, cam driven fuel pumps, turbocharger bearings and cylinder bores. Compatible with exhaust after treatment devices and exceeds API CJ-4, C-4 Plus, Cl-4, CH-4, CG-4 and CF-4 specs. Compliant with OEM performance specs, including Caterpillar ECF-3, Cummins CES20081, Detroit Diesel Power Guard 93K218, Mack EO-O Premium Plus, Renault VI RLD-3, Volvo VDS-4 and Ford WSS-W2C171-E. Can be used in naturally aspirated diesel engines

MAXIMA



HD DIESEL

HD Diesel is a fully formulated heavyduty diesel motor oil. Advanced chemistry blended with high-quality petroleum base stocks offer excellent protection from the stresses of heat, soot and acids – preventing wear from deposits and corrosion. Elevated levels of detergent/dispersant help to eliminate the formation of larger combustion

particles – minimizing soot-related viscosity increase – allowing for improved drain intervals. HD DIESEL maintains excellent film strength during high-temperature operation to ensure dependable protection, performance and fuel efficiency. Highly refined petroleum base stocks provide outstanding lubricity and resist oil loss due to oil volatilization. 15W-40

One Gallon Bottle Part # 39-029128



BRAD PENN

HD Premium Plus Diesel Engine Oil

BRAD PENN® HD Premium PLUS SAE 15W-40 Diesel Engine Oil is a premium quality heavy duty diesel engine oil formulated for use in today's modern high performance, low emissions diesel engines equipped with advanced emission control technologies. It meets the latest API CJ-4

diesel engine oil category and is serviceable for use in most older on-road and off-road diesel engines. It is also suitable for use with high sulfur fuel on-road and off-road applications.

Gallon Bottles Part # 100-7196

Diesel Fuel Additives



REV-X

DISTANCE+ Diesel Fuel Additive

DISTANCE+ Fuel Additive was formulated to be a true all-in-one ULSD fuel additive that requires NOTHING else to be added. DISTANCE+ Fuel Additive boosts ULSD fuel performance to a level that diesel

owners simply have not had the opportunity to purchase.

- Year-Round Protection in Warm Weather Areas
- 6 point Cetane Increase (not 6% like others)
- Neutralizes Negative Aspects of Bio Blend Fuels (B5 - B20)
- Improved Cold Starting On All Diesel Engines
- Increases Detergent and Lubrication Properties
- Increases Corrosion Protection
- Increases Engine Performance
- Reduces Component Wear
- Reduces Engine and Exhaust Emissions and Toxic Smoke
- Dramatically Increases Fuel Storage Life
- Increases Water Dispersion
- Reduces EGT Temperatures
- Keeps Fuel Stable to -0°F
- Many Customers Are Also Reporting Fuel Mileage Gains as Well!

8oz Bottle Part # DIS0801



REV-X REV X Distance Plus (+) Diesel Fuel Additive

If you are looking for a winter diesel fuel additive for your vehicle or fleet, there is only one product that can deliver the performance and protection for extreme cold weather operation and

that is DISTANCE+ WINTER Fuel Additive.

Distance+ Winter Fuel Additive was formulated in some of the coldest regions of the country to provide real world data on what a winter-based fuel additive needs.

- Unmatched Winter Performance to -45°F
- Minimum 6 Point Cetane Increase for increases **Pulling Power and Torque, Economy and Reduces Exhaust Gas Temperatures**
- Added Lubrication Agents Keeping Both New and Old Fuel Injection Systems Running **Smoothly with Reduced Wear**
- **Added Detergent Agents Make Sure That the Entire Fuel System Stays Clean for Maximum** Performance
- Increased Corrosion Protection, Extending Service Life on All Stored Vehicles
- Water Dispersant Agent Reduces Harmful **Water in Fuel System**
- Added Storage Agents Extend Fuel Service Life From Approximately 6 Months To Well Over a Year
- Bio Fuel Neutralizing Agent Eliminates Bio-Fuel Sediment Fallout That Plugs Fuel Systems
- B5 B20 Bio Fuel Compatible
- Reduces Toxic Smoke and Exhaust Emissions
- Reduces EGT Temperatures
- The Most Concentrated Fuel Additive Formulation Available (1 oz. treats 25 US gallons above -45°F)



REV-X Ultimate Diesel Fuel Additive

REV-X Ultimate Diesel Fuel Additive is formulated as a complete warm climate, SINGLE use full tank diesel treatment. No more measuring amounts or storing unused additives, just put it all in the tank.

- Easy To Use SINGLE Application Product
- Increases Engine Power and Efficiency
- A Minimum 6 Point Cetane Gain For Improved Fuel Performance
- Provides Added Lubrication to Keep all Fuel Systems (New or Old) Operating at Peak **Performance**
- Reduces Exhaust Emissions and Diesel Smoke
- Contains Alcohol Free Water Dispersant
- Increases Storage Life Of Diesel Fuel For Up To One Full Year
- One Bottle Treats 25 Gallons Of Diesel Fuel 8oz Bottle Part # ULT0801





Specialty Oils & Lubes

Gear Oil DRIVEN



Break-In Gear Oil 80W-90

Petroleum-based Break-In Gear Oil allows gear teeth to break-in quickly while improving their surface finish. By polishing the gear teeth, micropitting is eliminated to improve gear durability. A smooth gear surface can carry more load and last longer.

Quart Bottles...... Part # 02330



Limited Slip Gear Oil 75W-90

Synthetic 75W-90 Limited Slip Gear Oil utilizes next generation synthetic oil technology to provide consistent limited slip differential performance. Ideal for both clutch type and torsion type differentials. It delivers outstanding performance in extreme environments like autocross, off-road trucks, UTVs, track day cars and race vehicles. Exceeds the performance requirements of API GL-5

Quart Bottles...... Part # 04230

Qualifying Gear Oil 70W-80

An ultra-lightweight gear oil developed specifically for stock car qualifying, it also provides race proven durability in open wheel competition. It can also be used in transmissions and spiral bevel gear boxes.

Quart Bottles Part # 01130

Racing Gear Oil 75W-110

Used by Joe Gibbs Racing in every rear end differential, this unique synthetic gear oil reduces operating temperatures by up to 15°F compared to other brand gear oils. Viscosity typical of SAE 75W-110.

Quart Bottles Part # 0630

Racing Gear Oil 75W-85

This 75W-85 synthetic gear oil provides race proven durability and dyno proven power gains from reduced friction and parasitic drag. It can be used in quick change style rear ends and drag race applications.

Quart Bottles Part # 0830

PENN GRADE 1



Penn-Grade 1 Full Synthetic Hypoid Gear/Blower Racing Lubricant

Penn-Grade 1 Full Synthetic Hypoid Gear/ Blower Racing Lubricant is a specially formulated 100% synthetic, SAE 75W-90 oil designed for use with self-contained systems where SAE 75W, SAE 80W-90 or SAE 90 grade gear oils are recommended. It is suitable

for using in Roots and Lysholm Screw type superchargers and may be used in manual transmissions and hypoid differentials where high shock loading is a concern. This gear/blower oil may reduce overall oil temperatures by as much as 15 degrees F over conventional gear lubes resulting in longer component life, less drag and more horsepower.

Quart Bottles Part # 023-7766



Penn Grade 1 "Classic" Multi-Purpose GL-4 SAE 80w-90 Gear Oil

Mineral based gear oil designed for use with "yellow" metals-synchronizers, bushings, washer, etc. Good for manual transmissions requiring GL-4 gear oils including Muncie, Rockwell, NVG, New Process, Borg Warner, Saginaw, Nissan UD, Mitsubishi Fuso, Volvo and

Mercedes Benz transmissions.

Ouart Bottles Part # 023-7729



REV-X



REV-X 85/140 Gear Lube

Specifically designed for the enthusiast that demands the most performance possible from their equipment while providing unprecedented protection and durability. GEAR has been formulated to eliminate all differential related problems in the most severe and demanding racing applications.

32oz Bottle...... Part # DIFGEAR3201



Gear-HD

Gear-HD Differential Fluid is a maximum performance 85W-140 GLS semi-synthetic lubricant for heavy duty differentials. Gear-HD offers radically increased performance for any differential by minimizing friction and maximizing lubricant film strength to provide an increased load capacity. The shock load

capability has also been increased (without increasing viscosity of the oil) to a level that allows gears and bearings to operated problem-free even in the most demanding environment.

32oz Bottle...... Part # DIFGEARHD3201



CONNECT Transfer Case Fluid

CONNECT is the answer to ineffective lubricants specified for Transfer Case applications. Connect is a semi synthetic lightweight performance lubricant that increases the load capacity of any Transfer

Case for racing applications. CONNECT safely eliminates wear on bearings, gears and hyvo chains and reduces high component and fluid operating temperatures to extend the service life of your Transfer Case under even the most severe racing conditions.

32oz Bottle...... Part # TCFCON3201



SHIFT-H Manual Transmission Lubricant

SHIFT-H is an Extreme Performance Heavyweight GL-5 lubricant designed for use in the older manual transmissions that required heavy weight gear oils. SHIFT-H provides increases in load capacity that

promotes reliability at severely upgraded power levels for your transmission. Extreme High Performance Street and race transmissions will shift smoother, operate at reduced temperatures, see reduced gear and bearing wear and extended fluid life.

32oz Bottle...... Part # MTFHVY3201

MAXIMA



Pro Gear Oil

PRO GEAR is a full synthetic, ester based gear oil offering unsurpassed performance and protection. Regenerative, synthetic polymers resist shearing, mechanical breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over a greater operating temperature range. Technologically advanced formula increases horsepower and delivers

superior anti-wear and extreme pressure protection from peak loads and elevated temperatures. Pro Gear oil is formulated with friction modifiers and is safe for use in hypoid gear systems.

Quart Bottles

75W-90	Part # 49-4490	1
75W-140	Part # 49-4590	1



Performance Gear Oil

PERFORMANCE GEAR petroleum based gear oil offers unsurpassed performance and protection. Ultra-pure, high quality base oils and thickeners resist shearing, mechanical breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over a greater operating temperature range. Technologically advanced formula delivers superior anti-wear

and extreme pressure protection from peak loads and elevated temperatures. Surface active chemistry delivers ultra-high film adhesion on gear faces, enabling higher load carrying capability and protecting critical gear interface areas and contact points. Fully formulated additive system contains anti-foam, rust, corrosion and oxidation protection for high-stress conditions.

Quart Bottles	-
85W-140	Part # 49-429128
250 WT	Part # 49-439128



Specialty Oils & Lubes

Power Steering Fluid MAXIMA



Synthetic Power Steering Fluid
Synthetic Power Steering Fluid (Syn Psf) is a
high-performance oil engineered to perform
under the severe stresses found in modern day
racing power steering systems. Racing power
steering systems operate under increased loads
and elevated temperatures when compared to
on-highway systems

- Full synthetic formula
- High-performance
- Engineered to perform under the severe stresses found in modern day racing power steering systems
- Uses technologically advanced additives to prevent wear, thermal breakdown and oxidation
- Advanced ester based synthetics eliminate fading and boil over
- High viscosity index fluid offers greater high-temp viscosity than many petroleum based fluids

Quart Bottles Part # 89-01901

Motorcycle Oil



PENN GRADE 1 Penn Grade 1 V2 Motorcyle Oil 10W-40

Blended with Pennsylvania Grade base oil, select synthetic components and superior additive chemistry, this high

performance SAE 10W-40 Motorcycle Oil offers the ultimate in quality, performance and protection for motorcycles. Meets JASO MA-2 performance requirements for use in wet clutches. Suitable for use in Honda, Kawasaki, Suzuki, Yamaha and other 4-stroke motorcycles where an API SJ, SH or SG quality oil is specified. May also be used in ATV's, golf carts, 4-wheelers and other 4-stroke engine applications. Always consult your owner's manual for proper viscosity and quality selection.

Ouart Bottle...... Part # 009-7156

Penn Grade 1 V2 4-Stroke SAE 20W-50 Motorcycle Oil

Specifically designed with twin V domestic and imported motorcycle engine technology and lubrication needs in mind. This SAE 20W-50 motorcycle oil is formulated with Pennsylvania Grade base oils and superior additive chemistry making it a great choice to use in applications calling for one lubricant for the engine, transmission/wet clutch and primary chain systems (if applicable). Meets JASO MA frictional performance requirements. A good multi-viscosity choice for use in V twin engines such as those found in Harley-Davidson motorcycles where 20W-50 API SJ, CF, CG-4 or CH-4 quality oil is

Also suitable for use in S&S, RevTech, Triumph, Ducati, BMW, Victory, and other domestic and imported motorcycles where an SAE 20W-50 viscosity, API SJ, SH, SG, CH-4, CG-4, or CF oil is specified. Always consult your owner's manual for proper oil viscosity and quality selection.

Quart Bottle...... Part # 009-7157

MAXIMA

Maxima Kart Spec 2-Stroke Heritage

Maxima revolutionized the industry by introducing Castor 927 in the 70s. 927 is still the #1 selling performance 2-stroke oil in most markets around the world. Proven performance, unbeatable protection and the greatest smelling 2-stroke on the planet!



Formula K2

Full synthetic, triple ester 2-stroke engine oil designed to ensure optimum protection and performance under extreme race conditions. Clean burning, ring stick resistant formulation utilizes high molecular weight, surface active esters to ensure optimal ring seal and maximum power. Advanced, low-ash

additive system minimizes carbon build up while preventing rust, corrosion and wear.

Quart Bottle...... Part # 22916



Castor 927

Castor based, ester-fortified 2-stroke engine oil designed to ensure maximum performance while providing maximum protection under the most severe conditions. Carbonization and vaporization resistant formulation combines surface-active esters with a highly-refined castor oil to provide excellent film thickness

and surface tenacity, protecting cylinder walls, journals and other critical areas. Proprietary ash-free additive system keeps your engine running clean and free of gum formation, corrosion and deposits.

Quart Bottle...... Part # 23916



MTL Trans/Clutch Fluid XI-

Mineral based motorcycle transmission lubricant formulated for use in both 2-stroke and 4-stroke transmissions. Provides excellent film thickness and viscosity stability across all operating temperatures

for maximum clutch and gear protection.

Proprietary ClutchSaver™ formula ensures optimal clutch engagement, prevents slippage and minimizes wear. Exceeds the requirements of JASO MA2.



V-Twin Syn Blend

Semi-synthetic, ester-fortified 4-stroke engine oil specifically formulated for V-Twin engines. Surface-active esters combine with a shearstable polymer system to provide excellent film thickness and viscosity stability across all operating temperatures.

Advanced, proprietary additive system with

industry leading extreme pressure and anti-wear protection keeps your engine running clean, trouble-free and extends the life of the machine. Exceeds the requirements of API SL / JASO MA2.

32 oz Bottle Part # 30-14901



Chain Wax

MAXIMA CHAIN WAX is a superior power spray lubricant designed for all chain care needs. It's special ParaFilm™ formula creates a waxy film similar to Cosmoline, offering long term protection especially in water and high humidity.

- Eliminates "fling off" & seals **lubricant** to chain
- Special paraffin base creates waxy
- Excellent rust protection
- Safe on all chains including 0, X and Z-ring

7.4oz Aerosol Part # 74908



Synthetic Chain Guard

MAXIMA CHAIN GUARD is an advanced chain lubricant specifically formulated for today's off-road and on-road, high performance motorcycle chains. It is compounded with the finest synthetic lubricating bases and reinforced with the most advanced anti-wear and extreme pressure additives available.

- Extends chain & sprocket life
- Will not fling-off
- Excellent rust & corrosion protection
- Safe on all chains including 0, X and Z-ring
- Excellent cable lubricant

7.4oz Aerosol Part # 77908 17.3oz Aerosol Part #7792



DRIVEN

HD50 for Air-Cooled Motorcycles 15W-50

Excellent protection for air cooled motorcycle engines. Ideal for flat tappet and aggressive roller cams, V-Twins and high performance motorcycle engines. Includes rust inhibitors for winter storage and defense against Ethanol-

blended fuel. Viscosity typical of 15W-50.

Quart Bottle......Part # 02706



MX Wet Clutch Racing Oil 10W-30

High zinc content to protect aggressive cam profiles • Advanced synthetic formula delivers high temperature protection from viscosity breakdown. Developed for JGR MX, this unique synthetic racing oil provides increased horsepower and delivers flawless wet-clutch performance.

Designed for high RPM motorcycle engines, MX protects high lift cams and bucket followers. Formulated with proprietary antiwear and friction reducing additives to fight valve train wear and increase horsepower. Ideal for competitive motorcycle, ATV, UTV and mini sprint engines.

Compatible with pump gas, Methanol and high-octane race fuels. Viscosity typical of 10W-30.

Quart Bottle Part # 03406



Specialty Oils & Lubes

Marine Fuel Additives



BOOSTANE

Marine Octane Booster

BOOSTane Marine also offers the ability to increase octane levels up to 116 and is specially formulated to complement marine engines. BOOSTane Marine provides all of the advantages of BOOSTane Professional and can help owners concerned with phase separation of their fuel. Increased lubricity for engine internals, valves, and seats.

Ethanol stabilization for prolonged storage with fuel still in tank.

Will raise your effective octane fuel number 23 numbers! Don't get stuck with 90 octane at the marina again! Use our very own **BOOSTane App** to blend exactly to your necessary specifications.

Safe for use with catalytic converters and O2 Sensors Won't settle out of solution and become ineffective in your tank, due to our proprietary carriers

Protect against phase separation and water in your tank from prolonged storage and ethanol.

Works in all internal combustion engines, from powerboats and high performance fishing boats to personal watercraft and leisure, Naturally Aspirated or Forced Induction, your peace of mind is here.

Quart Bottle..... Part # OCT32MAR



REV-X

Adrenaline Marine Fuel Additive

Adrenaline Marine Gasoline Additive is the cost-effective solution the marine industry has been demanding for today's Ethanol treated gasoline issues. Adrenaline Marine is a performance enhancing gasoline additive that increases all performance aspects of gasoline. While it also eliminates all of the negative aspects of Ethanol treated gasoline up to an E20 rating. Properly blended with gasoline,

Adrenaline Marine promotes increased efficiency of any gasoline used, resulting in a more powerful fuel that delivers increased power and torque, smoother-running engines and increased throttle response that you can really feel.

 Safely Increases the Performance of all Pump Based Gasoline

- Proven to Increase Engine Performance and Efficiency
- Eliminates the Negative Aspects of Ethanol Alcohol Up To E20 (or 20%)
- Promotes Smoother Running Engines
- Increases Throttle Response
- Rapidly Dissolves Gum and Varnish Deposits in Fuel Systems
- Increases The Storage Life of Gasoline up to One Year
- For Use In 2 and 4 Stroke Engines
- Adrenaline/Marine Contains No Alcohol
- Adrenaline Marine is OEM Warranty Secure
- 8 oz. Treats 100 US Gallons of Gasoline

8oz Bottle Part # RVX-ADM0824

Adrenaline Distance + Marine Diesel

Distance+ Marine is the all in one Marine Diesel fuel additive



that eliminates all of the downsides of today's diesel fuel and adds the maximum performance features to make your boating experience the stress free get away it should be.

- Increased Power And Torque
- Increased Engine Efficiency
- Increased Engine Response
- Decreased Exhaust Emissions
- Decreased Exhaust Smoke and Soot
- Additional cleaning Power To Keep The Entire Fuel System Clean
- Bio Fuel Neutralizing Additive to Keep Clean Fuel Systems Trouble Free
- Increases Fuel Storage Life to Over a Full Year 16ox Bottle....... Part # REVXDistancePlus

Marine Oil Additives



REV-X Drive-L

DRIVE-L greatly increases the performance of outdrives by increasing the lubricating properties for increased load capabilities, increased shock load and reduction of friction. DRIVE-L eliminates wear on gears, bearings and shifting components to providing extended service life of the entire drive. Reduced operating temperatures are also a large benefit that extends the service life of both lubricating fluid and seal life. Whether you are running upgraded power to your drive or are just looking for the


best lubricant available, DRIVE-L is the only lightweight lubricant available that can provide serious increases in performance and provide maximum protection to eliminate failures. DRIVE-L can be used for all OEM applications that call for lightweight or engine oil lubricants.

32oz Bottle......Part # RVX-DRIVEL3201

Marine Oil Additives Drive-H

DRIVE-H (H or Heavyweight) is the CURE for the lubrication related failures in high performance outdrives. DRIVE-H is a Heavily additized 80w-90 GL-5 semi-synthetic lubricant that provides high performance outdrives benefits that just were not available in previous lubricants. The focus of Drive-H was to provide the ultimate protection by eliminating metal to metal wear on gears, bearings and shifting components in racing applications where high loads and heavy abuse is the norm. DRIVE-H provides the highest increases in load capacity and shock load protection of any heavyweight outdrive lubricant currently available. DRIVE-H also reduces the operating temperatures of the entire outdrive to provide increased service life of all lubricated components seals and lubricating fluid. Whether you are running mildly upgraded power to a stock drive or huge power to a full racing drive, DRIVE-H outdrive fluid will provide all outdrives with the maximum lubrication possible to eliminate the expensive failures that have become so common. For use in all OEM and aftermarket drives that call for a GL-4, GL-5, 80w+ lubricating fluid.

32oz Bottle......Part # RVX-DRIVEH3201





Specialty Oils & Lubes

Fuel Treatments

(For Diesel Fuel Additives see Page 10)



BOOSTANEAbout BOOSTane

BOOSTane does one thing--boosts octane-and it does it extraordinarily well! It performs better than other boosters as it uses a proprietary chelated carrier, which allows the company to include a higher concentration of anti-knocking agents in the formula. With other products, sedimentation eventually occurs, and the formula's components settle to the bottom of the can. This results in decreased performance and can clog fuel

filters and pumps. With BOOSTane, the anti-knocking agents remain suspended indefinitely in solution. This helps deliver the incredible advantages that boosted octane can provide. BOOSTane's performance improvements have been confirmed through independent third-party testing.

Professional Racing Octane Booster

BOOSTane Professional is formulated to increase octane levels up to 116. This formula provides professional racers and racing enthusiasts a safe and convenient alternative to expensive and cumbersome racing fuel. This product is not street-legal. Will raise your effective octane fuel number 23 points! Use our very own BOOSTane App to blend exactly to your necessary specifications

Safe for use with catalytic converters and O2 Sensors Won't settle out of solution and become ineffective in your tank, due to our proprietary carriers

Stabilizes against phase separation from ethanol supplementation (E10)

Works in all internal combustion engines, from powerboats and high performance street cars to motorcycles and ATV's, Naturally Aspirated or Forced Induction, your peace of mind is here.

Quart Bottles Part # OCT32PRO





DRIVEN

CARB DEFENDER -- Designed for Carbureted Classic and Performance Vehicles

Driven's Carb Defender™ Fuel Additive is specifically formulated to protect against ethanol corrosion and induction deposits. Special corrosion inhibitors work to prevent expensive repairs and diminished performance caused by ethanol-blended pump gasoline and the moisture it attracts. High levels of ethanol dilution in motor oil can lead to rust and other corrosion problems in the fuel system

and inside the engine. This new additive, however, controls combustion chamber residue, plus cleans and protects surfaces of the fuel system and intake tract. An 8 oz. bottle of additive treats up to 25 gallons of ethanol-blended gas, and should be used with each and every fill-up. Driven Racing Oil™ Carb Defender™ Fuel Additive keeps the carburetor functioning properly and is designed for the unique needs of classic vehicles that spend much of their lives in storage between cruises and special events.

8oz Bottle Part # 70040



REV-X *Rev-X E-B00ST*

Do you run alcohol in your drag car? Ever get tired of flushing the fuel system when you are done running? Tired of having to buy special, treated fuel system components? E-Boost Alcohol Additive is formulated for use with E-85 and methanol fuels to ELIMINATE the corrosive aspects of alcohol as well as providing a performance boost that allows for better starting and running engines. E-Boost has also been reported to produce better ET's and more consistent runs.

8oz Bottle Part # RVX-EB00801



REV-X Adrenaline Gasoline Fuel Additive

The quality of Gasoline has diminished greatly since the EPA passed the Renewable Fuels Act that mandated a minimum addition of 10% (E10) ethanol alcohol in 2005. Most 2 and 4 stroke engines do not perform well with E10 ethanol-enhanced gasoline levels. This is the reason we made REV-X Adrenaline Gasoline Fuel Additive.

Adrenaline Gasoline Additive offers a realworld power enhancing formula for everyday driving applications at an economical price. Developed for both 2 and 4 stroke

gasoline powered engines. REV-X Adrenaline delivers increased performance and economy that can be seen and felt, while providing protection up to E20 levels of ethanol alcohol added to today's gasoline.

Adrenaline Gasoline Additive also contains the strongest off the shelf detergent package that cleans all fuel related components, including carburetors and fuel injectors, fuel pumps, regulators and fuel lines for optimum performance in all conditions.

- Increases Engine Performance
- Increases Fuel Economy
- Eliminates ALL Ethanol Alcohol Issues Up to an E20 Level
- Eliminates Corrosive Activity Within Fuel System
- Extends the Service Life of All Rubber Seals and Hoses
- Promotes a Smoother-Running Engine
- Cleans Entire Fuel System Including Injectors
- Dissolves Carbon and Varnish Deposits
- Increases Fuel Storage Life Up to 6 Months
- For Use in 2 and 4 Stroke Engines
- Adrenaline is OEM Warranty Secure
- Treats 25 US Gallons



MAXIMA HI-TEST

MAXIMA HI-TEST is a concentrated octane booster legal for all types of competition. Hi-Test is an all organic product containing no metal (lead, manganese or phosphorus) compounds. It readily mixes with all gasolines as well as alcohol and nitro mixtures. Hi-Test will suppress detonation and pre-ignition by modifying the burn rate and increasing the auto-ignition temperature of the air/ fuel mixture. It allows higher compression

ratios and therefore more horsepower. Hi-Test should be used in concentrations of one to four ounces per gallon of gasoline. One ounce per gallon raises the effective octane number approximately four points, depending on the base gasoline octane. For racing, very high compression engines, or very lowquality fuel, higher concentrations of Hi-Test may be required.

- Raises octane level
- Stops knock & ping
- Increases horsepower
- For 2-stroke or 4-stroke engines
- Cleans fuel systems
- Can ship by UPS as: ORMD Consumer Commodity

16oz Bottle...... Part # 83916



FUEL STABILIZER

Fuel Storage Stabilizer doubles as a fuel stabilizer and corrosion inhibitor. Not all brands offer protection from the harmful effects of ethanol and moisture contained in the fuel system. Maxima Fuel Storage Stabilizer conditions the fuel to help prevent the formation of lacquers and varnish caused

by fuel degradation. Additionally, Fuel Storage Stabilizer fights corrosion within the entire fuel system -Keep your system protected.

- Ideal for use with Ethanol based fuels
- Helps fight fuel breakdown
- Helps eliminate fuel system corrosion
- 1oz treats 1 to 2.5 gallons of fuel



Coolant Additives

Engine Paint & Enamel



DRIVEN *CSP Coolant Syst*

CSP Coolant System Protector

Impurities in well water can cause rust and corrosion inside the radiator, water pump and cylinder heads, and this can lead to a loss of cooling efficiency. Driven Coolant System Protector stops the adverse effect of hard water better than the leading brand of coolant additives.

12oz Bottles Part # 50030



MAXIMA

Cool-Aide Concentrate

COOL-AIDE is an additive formulated to reduce engine temperatures and provides significantly better contact on heated surfaces allowing for greater and more efficient heat transfer. Can be used with straight water or mixed with coolant/

antifreeze to achieve better cooling efficiencies. Cool-Aide does not offer freeze protect when used with straight water. Non-slippery if spilled on paved surfaces. Approved and safe for use in most racing applications.

Also available: 64oz. Ready-to-Use version with deionized water.

- Powerful concentrate
- Approved for racing on paved surfaces
- Increases cooling capacity & efficiency
- Glycol, Nitrate, Amine, Borax Free!
- Protects against rust & corrosion
- For 2-cycle or 4-cycle liquid cooled engines
- 100% Biodegradable in its unused form
- Can be mixed in straight water or coolant/ antifreeze

16oz Concentrate Part # 84916

ENGINE PRO

Engine Pro has what you need to build and repair engines--from start to finish.

For paints, cleaners and specialty lubricants, turn to the pro... Engine Pro.

Engine Enamel

- Provides a Tough Finish that Resists Heat and Gasoline
- Fast Drying
- Protects Engines, Transmissions and Other O.E.M. Equipment
- Heat Resistant to 300 degrees F

Primer

- Provides Maximum Rust Protection and Adhesion for a Finishing Top Coat
- Fast Drying
- For Use with Enamel, Lacquer and Acrylic Paints
- Excellent Resistance to Heat and Corrosion
- VOC Compliant

High Heat Paint

- Withstands Continuous Temperatures of up to 1200 degrees F
- Porcelain Type Bond is Formed at High Temperatures
- Resists Blistering, Peeling and Discoloration

Rust Proof Paint

- Inhibits Rust
- Resists Heat and Gasoline
- Fast Drying
- Resists Chipping and Pealing

Fleet and Equipment Paint

- Fast Drying
- Hard, Long Lasting Finish
- Heat Resistant to 300 degrees F
- Resistant to Gasoline, Oil & Grease

Engine Paint & Enamel





ENGINE ENAMEL	PART #
CAST IRON GREY	46-048
STAINLESS STEEL	46-054
GLOSS BLACK	46-115
SATIN BLACK	46-139
PONTIAC METALLIC BLUE	46-389
UNIVERSAL SILVER	46-410
FORD GREY	46-430
FORD RED	46-440N
FORD-CHRYSLER RED	46-440
FORD BLUE	46-460
CHEVY ORANGE	46-480
FORD-MERCURY BLUE	46-560
CAST ALUMINUM	46-710
ALUMI BLAST	16-055
GLOSS WHITE	16-113
FLAT BLACK	16-133
CLEAR PLASTIC	16-2411
UNIVERSAL GM BLACK	EN-42
CADILLAC GOLD	EN-50
ALPINE GREEN	EN-60
CHRYSLER BLUE	EN-63
GM BLUE	EN-67
CUMMINS BEIGE	EN-73
HEMI ORANGE	EN-76

Bold text indicates Engine Pro labeled product.

PRIMER	PART #
LIGHT GREY	46-831
RED OXIDE	16-807
BLACK	16-828
ZINC RICH	16-1445

HIGH HEAT PAINT	PART #
ALUMINUM	16-1201
WHITE	16-1202
BLACK	16-1203
CAST IRON GREY	16-2668

RUST PROOF PAINT	PART #
SAFETY YELLOW	16-116
SAFETY BLUE	16-129
LIGHT GREY	620-1416

FLEET & EQUIPMENT PAINT	PART #
CATERPILLAR YELLOW (NEW)	46-213
CATERPILLAR YELLOW (OLD)	16-212
INTERNATIONAL HARVESTER RED	16-214
JOHN DEERE GREEN (NEW)	16-268
BUS YELLOW	16-286

OTHER PAINTS & COATINGS	PART #
CLEAR ACRYLIC COATING	16-121
UNDERCOATING & SOUND INSULATOR	20-046
SUPREME BLACK SHIELD PAINT	620-1415
SUPREME HUNTER GREEN SHIELD PAINT	620-1449
RED EPOXY COATING	620-1525
BLUE LAYOUT FLUID	620-1558





AERVO Engine Paint & Enamel / Appearance

About Aervo

Aervoe Industries, Inc. has been recognized as a leading manufacturer of paints, specialty coatings, cleaners, lubricants, and other products for industrial use for more than 40 years. Every product is designed to meet the strictest environmental and quality standards. VOC and MIR compliant aerosols meet strict California state requirements and are lead- and CFC-free, with many specifically formulated with non-flammable and HAPS free ingredients.

AERVO Engine Enamel

Specially formulated to keep engine surfaces from pitting and rusting while maintaining color and a performance gloss finish.

- Specially made for refinishing engines and transmissions
- Withstands temperatures up to 500°F (260°C)
- Fast drying
- Matches O.E.M. standards
- Oil and gas resistant
- Provides superior durability and fade resistance under harsh conditions

Applications: cast metal engine blocks, transmissions, pipes, radiators, farm and marine equipment and industrial equipment exposed to high temperatures.

12oz Aerosol Order "AER" + Part Number 510 Universal Clear 580 Cummins Beige 514 Gloss Black 561 Chevrolet Blue 520 Chevrolet Orange 582 Cast Iron Gray 562 G.M. Blue 560 Ford Blue 530 Cadillac Gold 566 Ford-Merc. Blue 540 Alpine Green 551 Ford Gray 568 Chrysler Blue 511 Universal White 550 Ford Red 570 Universal Silver 512 Flat Black 583 Steel Blast Gray

513 Satin Black

Zynolyte® Hi-Temp Paint

This paint provides a lasting finish that is resistant to very high surface temperatures.

- Withstands temperatures up to 1200°F (538°C)
- Fast drying

575 Dull Aluminum

- Hard. durable finish
- Excellent rust & corrosion resistance
- Indoor/outdoor
- Once cured, will not chip, peel, discolor, or chalk

Applications: Engine manifolds & mufflers

11oz Aerosol Part # Z630

Appearance

MAXIMA

SC1



SC1 High gloss coating is specifically formulated to coat plastic, fiberglass, carbon fiber, metal and painted surfaces. Makes the clean up process easier – excellent for use under fenders and wheel wells to prevent mud and dirt from adhering to plastic.

- Restores factory shine and color
- Fresh Clean Scent
- Safe on all finishes
- Excellent mud and debris release when left on surface wet
- Leaves a dry, long lasting luster
- New bike in a can

SPEED WAX



SPEED WAX is a specialized all-in-one detailer that conditions, shines and protects painted surfaces, chrome, anodizing, windscreens and plastic. Advanced formula blends conditioners with color enhancers to produce a brilliant shine.

- Cleans and waxes in one easy step
- Tropical Scent
- Safe on all finishes
- Excellent cleaner between washes
- Shines and protects

17.8oz Aerosol Part # 70-76920

DRIVEN Race Wax



Race Wax leaves a smooth, glossy finish that helps shed tire rubber and dirt. It is a perfect product for race cars with full decal wraps and fiberglass body cars. The clean and shine from Race Wax makes your car look sharp, and it makes clean up quick and easy without damaging the decals, paint, or windows.

24oz Non-aerosol

bottle...... Part # 50060

Machine Shop Lubes & Supplies

SUNNEN



About Sunnen Industries

A familiar name in machine shop equipment, Sunnen Products Company has been a global leader in the manufacturing and distribution of bore sizing and finishing equipment, engine

rebuilding equipment, and tooling and abrasives since 1924. We carry their popular honing oils and other lubricants.

MAN-845 Honing Oil

MAN-845 is formulated for general purpose automotive machine shop honing. It is excellent for con rods, piston pins, king pins, or general shop honing. MAN-845 can be boosted if necessary for occasional honing of more difficult materials (like aluminum or high nickel cast iron) by adding a small amount of Sunnen Industrial Honing Oil. It is petroleum based, containing high performance lubricity agents in combination with both sulfur and chlorine extreme pressure additives.

- Low viscosity creates less oil "carry off" and makes cleaning easier
- Also an excellent screw machine and general purpose cutting oil
- Compatible with the oil and filter system of all Sunnen honing machines and other manufacturers' machine tools in which petroleum oils are normally used

18.91 L (5 gal) pails......Part # MAN-845

CK-50 Honing Oils

CK-50 is specially formulated for honing cast iron automotive and truck engine blocks and should not be used to hone other materials. It is petroleum based, containing high performance lubricity agents in combination with both sulfur and chlorine extreme pressure additives.

Low viscosity creates less "carry off" of oil on the motor block and is easily cleaned in hot tanks or spray washers Compatible with the oil and filter system of all Sunnen Honing Machines and other manufacturers' machine tools in which petroleum oils are normally used.

5 Gallon Pail......Part # CK-50-5

B-200 & B-200L Sunnen Press Fit Lubricant

- A light coat eases assembly
- Multiple applications
- Eliminates scoring, gouging and galling of parts during press fitting
- Available in an aerosol and liquid with a brush applicator.

7oz Aerosol Part # B-200 200mL Liquid with Brush

ARP

About ARP

ARP's product line contains thousands of part numbers, and has expanded to include virtually every fastener found in an engine and driveline. It also includes specialty lubricants related to their best-known products.

Fastener Assembly Lubricant



ARP Ultra-Torque® fastener assembly lubricant has been specifically designed to reduce tension pre-load scatter and eliminate the need to cycle high performance engine fasteners before final installation.

- Prevents seizing and galling on all threaded fasteners.
- Prevents rust and corrosion during the life of the lubricant.
- Effective lubrication range -50°F to 2000°F.
- 360°F melting point.
- Metal Free

0.5 fl. oz. Pouch Part # 100-9908 1.69 fl. oz. Squeeze tube Part # 100-9909 10 oz. Brush Top Container . Part # 100-9910 20 oz. Brush Top Container . Part # 100-9911



Machine Shop Lubes & Supplies

ARP



Thread Sealer

ARP THREAD SEALER is a premium grade thread sealer that is designed

for use on all wet deck cylinder block applications in order to prevent coolant leakage past the head bolt threads, while duplicating the recommended installation pre-loads associated with all ARP cylinder head bolts and studs.

- PTFE based formula w/rust & corrosion inhibitors.
- Effective range: -30° to 550°F.
- Sealant range: 10,000 psi (pressure).
- Application: delivers a flexible leak-proof seal in aluminum, steel, stainless steel and plastic against coolants, water, gasoline, natural gas and LPG.
- Designed for use with bolts

ENGINE PRO



Dry Graphite Lube

- Dry Film Bonds to Surface
- Good Lubrication at High Temperatures (850°F/454°C)
- Extends Parts Life

20oz AerosolPart # 40-1506



Hi-Zinc Liquid Engine Assembly Lube

- Contains Rust and Oxidation Inhibitors
- Extreme Pressure (EP) Agents
 Work in Unison for Superior
 Protection during Startup
- Contains ZDDP and EP Additives
- Exceeds All OE Specifications as an Engine Lubricant
- Guards Against Camshaft and Lifter Wear
- Adheres to Metal Surfaces

8oz BottlePart # 40-1100



Moly Assembly Lube

 Provides Protection Against Camshaft, Lifter and Valve Train Damage

Dramatically Reduces Friction and Engine Wear

- For Classic and Other Cars with Flat Tappet Cams Without Catalytic Convertors
- Higher Concentration of (ZDDP) for Crucial Break-in Period
- Designed to Allow Piston Rings to Seat Properly When Used During Engine Break-in
- Prevents Scuffing and Galling

10oz Bottle......Part # 40-1000

DRIVEN



Engine Assembly Grease

Driven Engine Assembly Grease is used by Joe Gibbs Racing during the assembly of every engine. It provides proven extreme pressure protection for heavily loaded parts during

initial break-in. Its unique formula completely dissolves in oil. Use it to pre-lube cams and lifters. Application to ring land prevents micro welding during initial engine break-in. When combined with BR, it provides proven protection during break-in.

MAXIMA

Waterproof Grease

WATERPROOF GREASE is a smooth, E.P. Lithium complex multipurpose grease manufactured in a NLGI #2 consistency- with the added benefits of a high density polymer to provide optimum service under most ambient temperature conditions. This distinctive multi-functional lubricating grease has very good mechanical stability (won't thin out under normal usage), has excellent resistance to water wash out, clings to metal surfaces under severe conditions as it effectively reduces the coefficient of friction.

- Salt Water Resistant
- Low-Friction
- Protects against rust & corrosion
- Reduces wear
- Long lasting
- Resists heat & shock loads
- Wide operating temperature range

16oz Container Part # 80916



ASSEMBLY LUBE

ASSEMBLY LUBE is a specialty, film forming lubricant designed to protect moving components and wear surfaces during assembly and initial break-in. Prevents metal-to-metal contact upon startup before adequate lubrication is supplied and offers excellent rust and corrosion protection during long service periods and storage. Quickly and easily mixes

with petroleum and synthetic oils and will not plug filters. Fully formulated with high levels of anti-wear & extreme pressure additives and surface-active chemistry to reduce friction.

- 2X Zinc Formula
- Prevents metal-to-metal contact
- Reduces wear
- Excellent rust & corrosion protection when storing
- Use on bolt threads for easy installation
- Non-foaming

PERMATEX

About Permatex

Permatex has been the preferred choice in chemical tools for motorsports teams, and professional automotive technicians. The company offers a wide range of adhesives, sealants, gasket makers, hand cleaners, lubricants, appearance products, specialty repair kits, and additives, most of which are carried by Perfit Engine Pro.

GASKETING

Gasket Makers

Anaerobic Gasket Makers & Flange Sealants **Specialty Gasket Makers, Gasket Sealants**

THREAD COMPOUNDS

Threadlocker Gels. Threadlockers **Thread Sealants, Activator Retaining Compounds**

ADHESIVES & SEALANTS

Super Glues & Instant Adhesives, Epoxies Specialty Adhesives, Sealants –"Right Stuff"

SPECIALIZED MAINTENANCE & REPAIR

Specialty Adhesives, Rebuilder's Aids **Specialty Lubricants, Single-Use Pouches** Auto Glass / Lens Repair, Electrical System Maintenance, Professional Repair Systems **Exhaust System Repair, Radiator & Fuel Tank Repair**

LUBRICANTS

Multipurpose Lubricants, Specialty Lubricants Anti-Seize

CLEANERS

Carb Cleaners, Brake Cleaners

HAND CARE

Hand Cleaners, Gloves



Permatex® the Right Stuff® Gasket Maker

Make leak-proof gaskets and return equipment to service immediately! Permatex' premier instant gasket maker was designed as a replacement for conventional gaskets. This elastomeric "formed-in-place" material is more reliable and longer lasting than pre-cut gaskets. It is blowout resistant and protects against

leaks and seepage caused by vibration and thermal expansion.. Temperature range -75°F to 450°F (-59°C to 232°C) continuous, 500°F (260°C) intermittent; resists ATF, coolant, oil and other shop fluids. Sensor-safe. Fleet-tested.

4oz Aerosol Part # 25223



Permatex® Fast Orange® Fine Pumice Lotion Hand Cleaner

The #1 selling, biodegradable, waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, petroleum solvents or ammonia that can sting cuts or abrasions. Pure, fresh-smelling natural citrus

power does the cleaning. Fortified with aloe, lanolin, glycerin, and other skin conditioners to soothe raw, rough hands. Fine Pumice deep cleans the toughest dirt. Works great on laundry stains (smooth lotion only), scuff marks, tile floors, pet odors and many other household cleaning needs.

One Gallon Pump Part # 25219



Cleaning Products

ENGINE PRO



Non-Chlorinated Brake & Parts Cleaner

- Rapid Air Dry VOC Compliant
- Can Be Used to Eliminate Disc Brake Squeal
- Safely Remove Contaminates from Non Rubber Parts

20oz Aerosol...... Part # 40-1548



Carb & Choke Cleaner

- Ideal for All Carburetors, PCV Valves, Automatic Chokes, Heat Risers
- Quick Acting -Penetrates Dirt, Gum,
 Oil. Etc.
- Extension Tube Furnished for Pin Point Application

20oz AerosolPart # 40-1536

AERVO



Brake and Parts Cleaner

- A non-corrosive degreaser effective in removing oil, grease, wax, dirt, and moisture from brake drums, linings, and pads. Dries in less than 2 minutes
- High-pressure and unique wetting properties penetrate and degrease inaccessible areas
- Includes extension tube for

precision application

- Stops annoying break squeal
- Reduces airborne asbestos dust
- Keeps brake shoe pads at top level of performance
- Applications: drum and disk-type breaks.
 May also be used for cleaning chains, gears, bearings, clutches, U-joints, and other areas where grease and oil have accumulated.

14oz Aerosol Case..........Pack-12 Part # 592

MAXIMA



Suspension Clean

SUSPENSION CLEAN is specifically formulated for the industry professional. Suspension Clean's unique formula quickly and easily cleans suspension internally and externally leaving a dry, residue free surface.

- Dries Quickly and completely
- Leaves no residue
- Will not remove most inks or printing
- Does not form moisture droplets
- No harsh chemical smell



Electrical Contact Cleaner

Electrical Contact Cleaner is a unique blend of cleaning agents designed to remove grease, oil and other contaminants from electrical components. Quickly removes oil & grease.

- Safely cleans electrical parts
 & components
- Displaces moisture
- Leaves no residue
- Contains no CFC's

17.5 Aerosol Part # 7920



CLEAN UP

CLEAN UP is a heavy duty, emulsion type cleaner designed to thoroughly clean chains without harming rubber o-rings or metal surfaces. Quickly dissolves and removes left on chain lube, dirt, sand, mud and other grime.

- Effectively cleans all chains with ease
- Removes encrusted chain lube, dirt, sand and other contaminates
- Safe on alumimum and other metals
- Easy spray on and rinse off application
- Contains no CFC's

17.1oz Aerosol Part # 75920

MPPL



MAXIMA MPPL (Multi Purpose Penetrant Lube) is a superior, all purpose penetrating lube that displaces water and provides excellent rust and corrosion protection. It is useful wherever a penetrating lubricant is required.

- Frees rusted & corroded parts
- Displaces moisture
- Perfect for light lubricant
- Excellent fogging oil

14.5oz Aerosol Part # 73920



FAB-1

FAB-1 is a highly advanced synthetic based formula for all oil type fabric and foam air filter elements. A superior oil for stopping the passage of dirt, fine dust, water and other harmful elements into the applications intake system. Super tacky polymer and co-polymer additives attract and hold onto virtually all fine dust particles.

- For all fabric and foam air filter elements
- Fast penetration and absorption
- Race proven protection
- Dustproof & Waterproof
- Long lasting, will not dry out
- Contains no CFC's

18.8oz Aerosol Part # 61920



AIR FILTER CLEANER

AIR FILTER CLEANER spray-on is a purpose specific foam and fabric air filter cleaner. Highly effective emulsion formula contains no caustic chemicals and easily washes out with water. Removes heavy filter oils, grease and other contaminants. Rated #1 by Dirt Rider magazine as Best Overall Air Filter Cleaner!

- Effectively cleans foam and fabric air filters
- Removes heavy filter oil, grease, dirt and other contaminates
- Easily washes out with water
- Rated #1 Air Filter Cleaner by Dirt Rider Magazine
- Contains no CFC's

17.1oz Aerosol Part # 79920


FFT



FFT is the culmination of 3 years development program which resulted in a synthetic polymer formulation that flows 4-12% more air and retains up to 8% more contaminates than all other brands. Resists both water and gasoline "fogging" wash out. Will not migrate off the filter, or dry out. Special solvent will not adversely effect either the foam element or the cement utilized to bond them together.

- Increased air flow
- Greater contaminate retention
- Water resistant
- Resists "wash out" from carburetor fogging
- Will not dry out
- Super "tacky" formula
- Color blue

16oz Bottle......Part # 60916 32nz Bottle...... Part # 60901



ENGINEPRO


ENGINE PARTS AT ANY SPEED







ENGINE PROPerformance
Timing Sets



ENGINE PRO
Performance &
Stock Engine Parts



ENGINE PROPerformance
Camshafts



ENGINE PROPerformance
Push Rods



ENGINE PRO Performance Gear Drives & Timing Covers



ENGINE PRO
Performance Street &
Competition Valves



ENGINE PROPerformance
Guide Plates





ENGINE PRO Performance Balancers





ENGINE PRO
Performance
Valve Train
Products



ENGINE PRO Performance **G**askets

Motorsports Partners











Grand Rapids, MI 800-942-0983 or 616-247-6572 Livonia, MI 800-482-1052 or 734-524-9208